Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended): A service processing method used in a computer system comprising a plurality series of computers, each of which receives a message, executes a Web an individual service based on the basis of the received message, and then outputs [a] at least one message generated from the result of the execution, said computer system realizing a Web service series of services in a coordinated manner by transmitting and receiving the messages among along the series of computers, said method implemented in one of the series of computers, said method comprising the steps of:

receiving <u>from a preceding upstream computer</u> a message including first information about <u>the a</u> service execution <u>request from the preceding upstream</u> <u>computer</u>, and second information about <u>at least one</u> notification <u>request</u> of progress information <u>in the service issued from each upstream computer</u>;

executing said <u>individual</u> service according to the first information; and analyzing the second information, and after that, <u>based</u> on the <u>basis of</u> the execution result of the <u>individual</u> service, generating [a] at least one message according to the second information, and then transmitting the <u>generated</u> message to <u>each of</u> the <u>upstream computers computer</u> that is identified by a destination of progress information notification included in <u>each notification request of</u> the second information; and

transmitting to each following downstream computer a message including a

information to be passed through about at least one notification request from each of the upstream computers in addition to a notification request of progress information to be reported to said one of the series of computers.

2-5. (canceled).

6. (currently amended): A service processing apparatus used in a computer system comprising a plurality series of computers, each of which receives a message, executes a Web an individual service based on the basis of the received message, and then outputs [a] at least one message generated from the result of the execution, said computer system realizing a Web service series of services in a coordinated manner by transmitting and receiving the messages among along the series of computers computers, said apparatus implemented in one of the series of computers, said apparatus comprising:

receiving means for receiving <u>from a preceding upstream computer</u> a message including first information about <u>the execution of the Web_a</u> service <u>execution request from the preceding upstream computer</u>, and second information about <u>at least one</u> notification <u>request</u> of progress information <u>issued from each</u> <u>upstream computer in the service</u>;

execution means for executing said <u>individual</u> service according to the first information; and

means for analyzing the second information, and after that, <u>based</u> on the <u>basis of</u> the execution result of the <u>individual</u> service, generating a message according to the second information, and then transmitting the message to the

computer that is identified by a destination of progress information notification included in the second information; and

means for transmitting to each following downstream computer a message including a service execution request for the following downstream computer, and the second information to be passed through about at least one notification request from each of the upstream computers in addition to a notification request of progress information to be reported to said one of the series of computers.

7-10. (canceled).

11. (currently amended): A service processing program A computer program product used in a computer system comprising a plurality series of computers, each of which receives a message and executes a Web an individual service based on the basis of the received message and then outputs at least one [a] message generated from the result of the execution, said computer system realizing a Web service series of services in a coordinated manner by transmitting and receiving the messages among along the series computers, the computer program product comprising:

a computer program; and

a computer-readable storage medium having the computer program tangibly embodied thereon,

wherein the computer program causes one of the series of computers to perform said service processing program comprising the steps of:

receiving from a preceding upstream computer a message including first information about the execution of the service a service execution request from the

preceding upstream computer, and second information about <u>at least one</u>
notification <u>request</u> of progress information <u>issued from each upstream computer in</u>
the service;

executing said <u>individual</u> service according to the first information; and analyzing the second information, and after that, <u>based</u> on the <u>basis of</u> the execution result of the <u>individual</u> service, generating [a] at least one message according to the second information, and then transmitting the <u>generated</u> message to <u>each of</u> the <u>upstream computers computer</u> that is identified by a destination of progress information notification included in <u>each notification request of</u> the second information; and

transmitting to each following downstream computer a message including a service execution request for the following downstream computer, and the second information to be passed through about at least one notification request from each of the upstream computers in addition to a notification request of progress information to be reported to said one of the series of computers.

12. (canceled).

13. (new): A service progressing method according to claim 1, wherein said notification request in the second information includes a hierarchical level indicating the extent of downstream level to which the most upstream computer requests the notification of progress information, and said one of the series of computers decreases the hierarchical level by a decrement and passes the notification request to the following downstream computer unless the received hierarchical level has reached a limit value in the extent.

- 14. (new): A service processing method according to claim 1, wherein said notification request in the second information includes a degree of details in which detail the most upstream computer expects the progress information to be returned.
- 15. (new): A service processing apparatus according to claim 6, wherein said notification request in the second information includes a hierarchical level indicating the extent of downstream level to which the most upstream computer requests the notification of progress information, and said one of the series of computers decreases the hierarchical level by a decrement and passes the notification request to the following downstream computer unless the received hierarchical level has reached a limit value in the extent.
- 16. (new): A service processing apparatus according to claim 6, wherein said notification request in the second information includes a degree of details in which detail the most upstream computer expects the progress information to be returned.
- 17. (new): A computer program product according to claim 11, wherein said notification request in the second information includes a hierarchical level indicating the extent of downstream level to which the most upstream computer requests the notification of progress information, and the program code causes said one of the series of computers to decrease the hierarchical level by a decrement and pass the notification request to the following downstream computer unless the

received hierarchical level has reached a limit value in the extent.

18. (new): A computer program product according to claim 11, wherein said notification request in the second information includes a degree of details in which detail the most upstream computer expects the progress information to be returned.